



## **ULTRA-ETCH**<sup>™</sup>



The art of precise placement.


## **<b>■ULTRA-ETCH**

## Tried, True & BLUE

- Easy placement and rinsing—distinctive blue color enhances placement and ensures complete removal.
- · Ideal viscosity—ensures precise placement without migrating, even on vertical surfaces.
- · Enhanced capillary action—penetrates the smallest fissures on occlusal surfaces.
- Peace of mind—unique self-limiting chemistry reduces the risk of overetching, creating the optimal surface to receive resin.



Clinical experience and FE-SEM evaluations' show that 15 seconds etch time on both dentin and cut enamel provides optimal conditioning of both tissues. Air/water rinse. Blot excess water off, leaving surface visibly wet.



Ultra-Etch phosphoric acid is proven to be uniquely self-limiting in its depth of etch, with an average depth of 1.9 µm using 15-second etch. Liquid phosphoric acid (37%) showed an average of 5.0 µm at 20 seconds, and a competing "polymer thickened" etchant a 4.8 µm depth.¹ Acids with this greater depth of etch go beyond the optimum level and increase the potential for incomplete resin impregnation.



Listed as a "CAN'T LIVE WITHOUT" product by a prominent independent research institute for more than 20 years.<sup>2</sup>



Listed as a "Tried and True" product.3



685



163	Ultra-Etch Kit 4 x 1.2 ml syringes 20 x Blue Micro tips	164	Ultra-Etch Refill 4 x 1.2 ml syringes
167	<b>Ultra-Etch Econo Kit</b> 20 x 1.2 ml syringes 40 x Blue Micro tips	168	Ultra-Etch Econo Refill 20 x 1.2 ml syringes
383	Ultra-Etch IndiSpense Kit 1 x 30 ml IndiSpense syringe 20 x Blue Micro tips 20 x 1.2 ml empty syringes	1407	Ultra-Etch Econo Refill 50 x 1.2 ml syringes \$143.49 ea

1 x 30 ml IndiSpense syringe

Ultra-Etch IndiSpense Syringe

1. Perdigão J, Lambrechts P, Van Meerbeek B, and Vanherle G. A field emission SEM study of dentin etched with different phosphoric acid compositions and/or concentrations. Leuven, Belgium: Katholieke Universiteit te Leuven, 1994. 2. "Can't Live Without" Clinical Research Associates Newsletter, Volume 21, Issue 7, July, 1997. 3. Jackie Syrop. Tried & True Ultra-Etch. Dental Product Shopper 2008 July/Aug; 2(6):76-77. 4. www.realityesthetics.com.

\*Volume discounts available at three and five

